


This drawing and the information it contains is the property of Western Global Australia Pty Limited., and must be returned upon request. It must not be copied directly, nor indirectly, placed in the hands of others, nor used in any way that is detrimental to the interests of Western Global Australia Pty Limited. © COPYRIGHT

Standards For Safety : Close Top Diked (Contained)

- UL 142 : Steel Above Ground Tanks for Flamable and Combustible Liquids CAN/ULC-S601 : Shop Fabricated Steel Above Ground Tanks for Flamable and combustible Liquids TRANSPORT CANADA CAN / CGSB 43.146-2003 31A/W

- 2. 3. 4. 5. **AUSTRALIA AS-1692 2006**



Liquid Volume	Litre	US Gal	UK Gal	
Nominal Capacity	4558	1204	1003	
Safe Fill Capacity @95%	4330	1144	952	
	Kg	Lb		
Tare Weight	1680	3704		
MGW	6010	13250		

	REV	REVISION DESCRIPTION		DATE	BY	CHECK	APP'D	GENERAL TOLERANCE	±0.005				PROJECT II) F	PROJECT	
								0.0 0 OVER 100 TO 500	±0.05 ±0.5 ±1		WESTERN				TCG	
F							<u></u>	OVER 500 TO 5000 OVER 5000 TO 10000 ANGLES SURFACE FINISH	±2 ±5 ±0.5°	WEST			TITLE			
								FABRICATION 6.3/ 3.2/			GLOBAL			50TCG-MAIN ASSEMBLY		
	3	UPDATED PORT DETAILS		17-JULY-18	RS	JS	MG		CHINING							
	2	Updated Volume and weight details as	per master data sheet	04-JUNE-18	RS	JS	MG	MATERIAL : SEE PARTS	WEIGHT (KG)	101-251 SAULTEAUX CRES MB, R3J 3C7 CANADA, PH:	CENT, WINNIPEG SCALE	PAPER	SHEET No			REV
	1	ISSUED FOR INFORMATION		09-DEC-16	MN	AK	MG	- SELTANIO	1680	MB, R3J 3C7 CANADA, PH:	+1 (204) 772 6525 1:10	A3	1/3	50TCG-WG-GA		3
		1	2	•	3			4		5	6	•		7	8	

