

TAN.WOI-1315 Datasheet

1250 Litre Steel Bunded Imperium®
Waste Oil Tank



Capacity	1250 Litre
Length	2000mm
Width	1250mm
Height	600mm
Weight	Dry (empty): 266kg Wet (full): 1333kg

General information

A 1250 litre steel bunded waste oil tank designed for commercial workshops, garages, and industrial applications. Built with Imperium® Technology.

Imperium® Technology

Atlantis Tanks' own precision tank design combined with a highly-efficient manufacturing approach. The result is a well-engineered, durable and compliant waste oil storage solution. Patent Pending.

Suitable for

Waste oils (e.g. from used engine oil, lubricants) and diesel, heating oil, HVO and other compatible liquids (please check before usage)

Tank Data

Outer tank dimensions:

(L) 2000mm x (W) 1250mm x (H) 600mm

Inner tank dimensions:

(L) 1870mm x (W) 1190mm x (H) 598mm

Brimful capacity: 1315 litres

Nominal capacity: 1249 litres

Usable capacity: 1249 litres

Materials & Compliance

- ✓ Manufactured from structural steel grade S275 JR (BS EN10025-2:2004)
- ✓ Meets BS 799 pt5 standards for steel oil storage tanks
- ✓ Designed in accordance with the **Control of Pollution** (Oil Storage) (England) Regulations 2001 (and equivalent devolved regimes), the **Hazardous Waste** (England & Wales) Regulations 2005, and the **Environmental Protection Act 1990** duty of care, featuring secure bunding, leak-proof steel construction, and clear labelling.

Connections

- ✓ 1 x 1.5" bund socket
- ✓ 1 x 2" tank to bund vent
- ✓ 1 x 2" bund to atmosphere vent
- On fittings plate:**
 - ✓ 1 x integral opening with strainer & lockable lid for safe waste oil disposal
 - ✓ 2 x 1.5" tank sockets
 - ✓ 1 x 2" top suction drain port with internal suction pipe
 - ✓ 1 x 2" tank socket
 - ✓ Alarm Mounting Plate



Imperium®
Technology



10 Year Tank
Warranty



High Quality
British-Made
Tanks



Bunded Steel
Tank

TAN.WOI-1315 Datasheet

1250 Litre Steel Bunded Imperium® Waste Oil Tank

Specification

- ✓ Removable fittings plate with integral tundish, strainer and lockable lid
- ✓ Full-length bearers for tank stability
- ✓ Lifting eyes for safe manoeuvring
- ✓ Small tin of "touch-up" paint supplied as standard

Warranty

10 year warranty subject to our T&Cs. Each tank supplied with a warranty manual.

Base

Install on a strong, level, impermeable base extending beyond the tank footprint, in line with the Control of Pollution (Oil Storage) (England) Regulations 2001 and devolved equivalents.

Exterior Finish

- ✓ 2 coats of specially formulated anti-rust coating for maximum protection
- ✓ Standard colour: Black (other finishes available on request)

You may also need

CONTENTS GUAGES & ALARM OPTIONS



Clock Face Tank Contents Gauge 4ft



Apollo Ultrasonic Tank Contents Gauge



Spiral Float Tank Level Contents Gauge 4ft



Battery Oil Tank High Level Alarm
- for Steel Tanks

TANK SERVICE & SECURITY



Extra top coat of paint to be applied



Steel Oil Tank Maintenance Pack



Black Metal Tank Paint - 1 litre



Tel: 0330 999 1100


Email: sales@atlantistanks.co.uk

www.atlantistanks.co.uk

TAN.WOI-1315 Datasheet

1250 Litre Steel Bunded Imperium® Waste Oil Tank

Bird's Eye View - Generic for all Steel Waste Oil Tanks



1. Removable fittings plate
2. Waste Oil Inlet with lockable lid
3. 2" top suction drain port with integral suction pipe
4. 2 x 1.5" tank sockets
5. 1 x 2" tank socket
6. Pitched roof for water run-off
7. 2 x lifting eyes
8. 1.5" bund socket for optional bund alarm probe
9. 2" tank to bund vent
10. 2" bund to atmosphere vent with aluminium vent cap



Tel: 0330 999 1100

Email: sales@atlantistanks.co.uk

www.atlantistanks.co.uk