BUNDED 2500 LITRE TITAN ECOSAFE HORIZONTAL OIL TANK

Suitable for domestic, agricultural and commercial use, this 2500L oil tank is part of the EcoSafe range from Kingspan Titan. With a totally enclosed bund, you are protected again any potential leaks or spills as well as ground contamination.



PRODUCT RANGE DETAILS

Oil Level Alarm Monitor	Watchman Alarm Fitted as Standard
Capacity Ltr/Gal	2500/550
Length (mm)	2450
Width (mm)	1425
Height (mm)	1450
Guarantee Period	10 Years (one year on components)
OFCERT N.	0642069817
Lids	Outer Tank 16" Cap, Inner Tank 4" Inspection Cap
Tank Pack	Watchman Alarm, PTFE Tape, Heldite, Heldite Applicator, Gate Valve & Filter
Fuel Type	Kerosene (C1/C2), Fuel Oil (A2) and Gas Oil/Diesel (D) as defined in BS2869 and BS EN590 including up to 7%biofuel to BS EN14214
Outlet Size	1"
Overfill Prevention	SpillStop device as standard



Regulation Compliance	The Control of Pollution (Oil Storage) (England) Regulations 2001, The Water Environment (Oil Storage) (Scotland) Regulations 2006 and Comparable Requirements throughout UK and Ireland .
Optional Accessory	Tigerloop Oil De-Aerator OFCERT N. 2181080901

OVERVIEW

FEATURES

Integrally Bund area holds 110% of the inner tank capacity.

Primary Tank secured in position, reducing stress on fittings.

SpillStop Overfill device fitted as standard - regulatory requirement.

Watchman Alarm oil level monitor Tank Pack supplied as standard.

100%End of Life recyclable.

Top outlet and bottom outlet options available.

Bund drain off point to remove any liquid contained in the bund.

BENEFITS

10 year guarantee (one year on equipment)

Double skin means double security eliminating the risk of leaks and spillage.

Low maintenance - no rust, no painting required.

Remote oil level monitor fitted as standard reduces the possibility of running out of fuel for complete control over your heating bills.



Top outlet and bottom outlet options for easy access.

OFCERT approved and certified and manufactured to ISO standards.

All Kingspan Titan oil tanks covered by the CPR are now CE marked.

Kingspan Environmental Limited 180 Gilford Road, Portadown BT63 5LF United Kingdom Sales Hotline Tel: +44 (0) 28 3836 4444 Tel: +44 (0) 28 3836 4400 Fax: +44 (0) 28 3836 4445

